

SPE B. Copenheaver

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

09/994,385

DATE : 8/17/05

Paper No.: _____

TO SPE OF : ART UNIT 1733

SUBJECT : Request for Certificate of Correction on Patent No.: 6814114

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location 7580, Certificates of Correction Branch – South Tower – 9A22

If response is for an IFW, return to employee (named below) via PUBSCofC Team in MADRAS.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Lamonte M. Newsome

Thank You For Your Assistance

Certificates of Correction Branch

Tel. No. 703-305-8309

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

all corrections of printer errors - OK to correct AB 8/2/05

BLAINE COPENHEAVER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700

[Signature]
SPE

1733

Art Unit